

**Model:  
DA-TrimlessG**



**CE & Energy Star Compliant  
IP40  
Surface Mounted  
Suspension  
Trimless**



**Features**

- Trimless illumination troffer without constrain of frame
- MultiFaceted illumination
- Wide Beam Angle 160°
- CRI >80 or CRI>90
- Options: DALI,
- Frame Color in White, Black
- Diffuser Color: White, Sky
- CCT 3000, 4000k
- Warranty: 5 years.




**Specification**

<b>Model</b>	DA-G
<b>Light Source</b>	COB
<b>Power Consumption</b>	18w, 24w, 40w
<b>Adjustment</b>	300° H, 80° V
<b>Dimension (H48mm)</b>	300x300, 300x600, 300x1200, 600x600 mm
<b>Mount</b>	Surface Mount, Suspension
<b>Initial Luminous flux (Total)</b>	1800 lm , 2400 lm, 4000 lm
<b>Color Rendering index (CRI)</b>	80 or 90
<b>Power Factor</b>	>0.95
<b>Input voltage</b>	220-240v AC
<b>Material</b>	Aluminum
<b>Light Beam Angle</b>	160°

**Benefits**

- Small foot print
- Flexible mounting with mini Magnetic Track
- No UV, No IR, Green to illuminated objects
- No Mercury & Resistant to Shock and vibration

**Dimension**



# Application



•

